



Date: \_\_\_\_\_  
Full Name: \_\_\_\_\_  
Business Email: \_\_\_\_\_  
Company Name: \_\_\_\_\_

**Department of Environmental Health, Safety and Risk Management**  
**Contractor Expectations Training Exam**

1. The purpose of this training is to:
  - a. Protect the worker.
  - b. Protect the environment.
  - c. Protect the UTRGV community.
  - d. All of the above.
  
2. Falls are the greatest cause of fatal construction injuries.
  - a. True
  - b. False
  
3. Contractors and sub-contractors are expected to comply with local, state, and federal rules and regulations and best management practices applicable to the workplace and environment.
  - a. True
  - b. False
  
4. The “Fatal Four” in terms of construction industry deaths include:
  - a. Slips, Trips, and Falls
  - b. Aspiration, Dehydration, Constipation, Seizure Disorders
  - c. Falls, Electrocutions, Caught in Between, Struck by Object
  - d. Speeding, Lack of Seatbelts, Fatigue, Alcohol
  
5. The GHS symbol depicting an exclamation mark indicates which of the following hazards?
  - a. Explosives
  - b. Corrosive to Metals
  - c. Skin and Eye Irritant
  - d. Flammable
  - e. Carcinogen
  
6. The GHS symbol depicting test tubes pouring liquid onto a hand and piece of metal indicates which of the following hazards?
  - a. Explosives
  - b. Corrosive to Metals
  - c. Skin and Eye Irritant
  - d. Flammable
  - e. Carcinogen

7. Fall protection shall be provided at elevations of \_\_\_\_\_ in the construction industry.
  - a. 6 feet
  - b. 8 feet
  - c. 10 feet
  - d. 12 feet
  
8. It is acceptable to set up scaffolding on shaky ground as long as fall arrest systems are in place.
  - a. True
  - b. False
  
9. The following are required for the use of a tight-fitting respirator such as an N95, Half face or Full face mask:
  - a. Training
  - b. Fit testing
  - c. Medical evaluation
  - d. Work area surveillance
  - e. All of the above
  
10. Forklift drivers are required to have valid Forklift Operator safety training in place.
  - a. True
  - b. False
  
11. Ladders should only be used for their designed purpose.
  - a. True
  - b. False
  
12. For every 4 feet in height, how far does the bottom of the ladder need to be pulled away from the base of the wall?
  - a. 8 feet
  - b. 4 feet
  - c. 2 feet
  - d. 1 foot
  
13. General safety signs are not required at construction sites on UTRGV campuses.
  - a. True
  - b. False
  
14. Housekeeping accounts for 25% of all construction related injuries.
  - a. True
  - b. False
  
15. List three types of dust control measures that can be applied during processes that generate dust:
  - a. \_\_\_\_\_
  - b. \_\_\_\_\_
  - c. \_\_\_\_\_

16. List three methods of preventing dirt, silt, chemicals and other undesirables from entering storm drains and natural waterways:
- a. \_\_\_\_\_
  - b. \_\_\_\_\_
  - c. \_\_\_\_\_
17. The following is considered a regulated waste stream and must be disposed of appropriately:
- a. Paint Waste
  - b. Fluorescent Lights
  - c. Ballasts
  - d. All of the above
18. Contact Parking Services to obtain a Hot Works Permit (required for open flames and inside work).
- a. True
  - b. False
19. Each person working on site shall obtain an ID Badge (valid for 1 year) and wear this identification at all times.
- a. True
  - b. False
20. In an emergency, the University Police department provides 24-hour emergency services. Emergency numbers should be readily available, stored in a cell phone or memorized. What are two numbers you can call in the event of an emergency?
- a. \_\_\_\_\_ (Campus Police emergency number)
  - b. \_\_\_\_\_ (U.S. emergency number)

After reviewing corresponding presentation ([UTRGV Contractor Safety Expectations Presentation](#)), submit completed exam to [EHSRM@utrgv.edu](mailto:EHSRM@utrgv.edu) and copy [Laura.DeJesus@utrgv.edu](mailto:Laura.DeJesus@utrgv.edu) or click on the button below.

Thank you.